Package: brclimr (via r-universe)

September 1, 2024

Title Fetch Zonal Statistics of Weather Indicators for Brazilian Municipalities

Version 0.2.0

Description Fetches zonal statistics from weather indicators that were calculated for each municipality in Brazil using data from the BR-DWGD and TerraClimate projects. Zonal statistics such as mean, maximum, minimum, standard deviation, and sum were computed by taking into account the data cells that intersect the boundaries of each municipality and stored in Parquet files. This procedure was carried out for all Brazilian municipalities, and for all available dates, for every indicator available in the weather products (BR-DWGD and TerraClimate projects). This package queries on-line the already calculated statistics on the Parquet files and returns easy-to-use data.frames.

License MIT + file LICENSE

URL https://rfsaldanha.github.io/brclimr/,
 https://github.com/rfsaldanha/brclimr

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Imports checkmate, rlang, lobstr, magrittr, DBI, duckdb, glue

Suggests testthat (>= 3.0.0), spelling

Config/testthat/edition 3

Depends R (>= 2.10)

LazyData true

Language en-US

Repository https://rfsaldanha.r-universe.dev

RemoteUrl https://github.com/rfsaldanha/brclimr

RemoteRef HEAD

RemoteSha d87a649ccd3d74e90368b77cde314b3a8ed0199b

2 fetch_data

Contents

	brdwgd_data																			
	fetch_data		 																	2
	product_info .		 																	3
	terraclimate_da	ta	 																	4
																				_
Index																				2

 $brdwgd_data$

BR-DWGD zonal statistics data

Description

A list with BR-DWGD zonal indicators data.

Usage

brdwgd_data

Format

An object of class list of length 7.

fetch_data

Fetch zonal statistics

Description

Fetch zonal statistics from a product for given municipality code and dates.

Usage

```
fetch_data(code_muni, product, indicator, statistics, date_start, date_end)
```

Arguments

code_muni	numeric. IBGE municipality code number with 7 digits.
product	string. Zonal indicator product. Options are: brdwgd, terraclimate.
indicator	string. Indicator name from the product. Check the available indicators with the product_info function.
statistics	string. Statistics name from the indicator. Check the available statistics with the product_info function.
date_start	date, included in the selection.
date_end	date, included in the selection, must be equal or greater than date_start.

product_info 3

Details

For products with monthly data, like terraclimate, inform the start and end dates with the fist day of the month. Example: as.Date("2008-06-01") for June, 2008.

Value

A tibble with date and value columns.

Examples

```
## Not run:
fetch_data(
    code_muni = 3304557,
    product = "brdwgd",
    indicator = "tmax",
    statistics = "mean",
    date_start = as.Date("2008-01-01"),
    date_end = as.Date("2008-01-10")
)

## End(Not run)
```

product_info

Print product information, indicators acronyms and available statistics

Description

Print product information, indicators acronyms and available statistics

Usage

```
product_info(product)
```

Arguments

product

Zonal indicator product. Options are: brdwgd, terraclimate.

Value

Printed list tree on the console.

Examples

```
product_info("terraclimate")
```

4 terraclimate_data

terraclimate_data

TerraClimate zonal statistics data

Description

A list with TerraClimate zonal indicators data.

Usage

terraclimate_data

Format

An object of class list of length 14.

Index